



# TAKE AIM AT RIFLE RELOADING DATA

## CARTRIDGE

### 350 LEGEND

**Twist:** 1:16.000"

**Barrel Length:** 16.000"

**Trim Length:** 1.700"

BULLET WEIGHT
115 GR. LGH FTM-EXP
CASE
WINCHESTER
PRIMER
WINCHESTER SR, SMALL RIFLE

				Starting Load			Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4100	0.355"	2.060"	27.8	2,577	40,000 PSI	30.9	2,820	51,700 PSI
Accurate	No. 9	0.355"	2.060"	25.0	2,523	42,700 PSI	27.8	2,723	52,000 PSI
Hodgdon	Titegroup	0.355"	2.060"	11.1	1,847	44,400 PSI	12.3	2,003	52,000 PSI
Ramshot	Enforcer	0.355"	2.060"	27.9	2,584	40,400 PSI	31.0	2,828	52,100 PSI

BULLET WEIGHT
115 GR. LHG FTM-EXP
CASE
WINCHESTER
PRIMER

# WINCHESTER SR, SMALL RIFLE

## Starting Load

## Maximum Loads

Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Titegroup	0.355"	2.060"	11.1	1,847	44,400 PSI	12.3	2,003	52,000 PSI

BULLET WEIGHT

118 GR. LGH XD

CASE

WINCHESTER

PRIMER

WINCHESTER SR, SMALL RIFLE

## Starting Load

## Maximum Loads

Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4100	0.355"	2.100"	26.8	2,472	36,700 PSI	29.8	2,741	51,500 PSI
Accurate	5744	0.355"	2.100"	26.4	2,158	34,100 PSI	29.3	2,408	45,000 PSI
Accurate	No. 9	0.355"	2.100"	25.1	2,489	41,500 PSI	27.9	2,700	52,400 PSI
Hodgdon	H110	0.355"	2.100"	23.0	2,159	38,100 PSI	28.0	2,518	51,900 PSI
IMR	IMR 4227	0.355"	2.100"	24.0	1,879	30,500 PSI	27.5C	2,201	43,200 PSI
Ramshot	Enforcer	0.355"	2.100"	26.9	2,480	37,100 PSI	29.9	2,750	52,000 PSI
Winchester	296	0.355"	2.100"	23.0	2,159	38,100 PSI	28.0	2,518	51,900 PSI

BULLET WEIGHT

125 GR. BAR TAC-XP

CASE

WINCHESTER

PRIMER

WINCHESTER SR, SMALL RIFLE

## Starting Load

## Maximum Loads

© 2023 Hodgdon Powder Co. All Rights Reserved

19/01/2023, 10:31Document

Starting Load							Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4100	0.355"	2.050"	24.0	2,353	37,800 PSI	26.7	2,557	51,200 PSI
Accurate	No. 11FS	0.355"	2.050"	25.2	2,370	36,300 PSI	28.0	2,569	45,500 PSI
Accurate	No. 9	0.355"	2.050"	22.0	2,331	39,300 PSI	24.5	2,519	52,000 PSI
Hodgdon	H110	0.355"	2.050"	23.7	2,352	41,300 PSI	26.3	2,543	51,800 PSI
Hodgdon	Lil'Gun	0.355"	2.050"	24.0	2,428	42,400 PSI	27.5	2,600	50,300 PSI
IMR	IMR 4227	0.355"	2.050"	24.0	2,054	33,000 PSI	27.5C	2,307	46,100 PSI
Ramshot	Enforcer	0.355"	2.050"	24.1	2,359	38,200 PSI	26.8	2,565	51,700 PSI
Winchester	296	0.355"	2.050"	23.7	2,352	41,300 PSI	26.3	2,543	51,800 PSI

BULLET WEIGHT

147 GR. HDY XTP

CASE

WINCHESTER

PRIMER

WINCHESTER SR, SMALL RIFLE

Starting Load							Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4100	0.355"	2.000"	23.8	2,219	34,700 PSI	26.5	2,431	51,000 PSI
Accurate	5744	0.355"	2.000"	24.5	2,057	33,700 PSI	27.2	2,313	50,000 PSI
Accurate	No. 11FS	0.355"	2.000"	25.6	2,289	34,300 PSI	28.4	2,487	50,000 PSI
Accurate	No. 9	0.355"	2.000"	21.7	2,182	37,100 PSI	24.1	2,375	52,100 PSI
Hodgdon	H110	0.355"	2.000"	27.0	2,368	41,900 PSI	28.2	2,495	52,100 PSI
Hodgdon	Lil'Gun	0.355"	2.000"	27.0	2,347	36,400 PSI	28.5	2,455	40,500 PSI
IMR	IMR 4227	0.355"	2.000"	24.0	2,066	38,000 PSI	27.5C	2,276	45,800 PSI
Ramshot	Enforcer	0.355"	2.000"	23.9	2,227	35,300 PSI	26.6	2,440	51,700 PSI
Winchester	296	0.355"	2.000"	27.0	2,368	41,900 PSI	28.2	2,495	52,100 PSI

BULLET WEIGHT

© 2023 Hodgdon Powder Co. All Rights Reserved

19/01/2023, 10:31

Document

165 GR. HDY FTX

CASE

WINCHESTER

PRIMER

WINCHESTER SR, SMALL RIFLE

				Starting Load			Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4100	0.355"	2.255"	22.4	2,051	40,200 PSI	24.8	2,220	51,500 PSI
Accurate	5744	0.355"	2.255"	24.2	1,967	39,900 PSI	26.9	2,185	52,000 PSI
Accurate	No. 11FS	0.355"	2.255"	24.4	2,100	38,200 PSI	27.1	2,285	51,000 PSI
Hodgdon	H110	0.355"	2.255"	24.3	2,104	39,100 PSI	27.0	2,270	51,800 PSI
Hodgdon	Lil'Gun	0.355"	2.255"	25.7	2,138	35,200 PSI	28.6	2,298	41,200 PSI
IMR	IMR 4227	0.355"	2.255"	22.7	1,875	35,100 PSI	25.2	2,040	42,800 PSI
Ramshot	Enforcer	0.355"	2.255"	22.5	2,057	40,600 PSI	24.9	2,227	52,000 PSI
Winchester	296	0.355"	2.255"	24.3	2,104	39,100 PSI	27.0	2,270	51,800 PSI

BULLET WEIGHT

170 GR. HDY SP

CASE

WINCHESTER

PRIMER

WINCHESTER SR, SMALL RIFLE

				Starting Load			Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4100	0.355"	2.240"	22.0	2,030	38,100 PSI	24.4	2,204	52,000 PSI
Accurate	5744	0.355"	2.240"	24.7	2,022	38,800 PSI	27.4	2,238	52,000 PSI
Accurate	No. 11FS	0.355"	2.240"	24.2	2,122	37,700 PSI	26.8	2,300	51,900 PSI
Hodgdon	CFE BLK	0.355"	2.240"	27.0	1,857	24,000 PSI	30.0C	2,075	31,000 PSI
Hodgdon	H110	0.355"	2.240"	24.0	2,049	40,600 PSI	26.7	2,221	51,600 PSI

Starting Load					Maximum Loads				
Hodgdon	Lil'Gun	0.355"	2.240"	27.0	2,239	43,500 PSI	27.9	2,307	45,900 PSI
IMR	IMR 4227	0.355"	2.240"	25.0	1,946	38,500 PSI	27.4C	2,122	50,900 PSI
Ramshot	Enforcer	0.355"	2.240"	22.0	2,036	38,500 PSI	24.5	2,211	52,500 PSI
Winchester	296	0.355"	2.240"	24.0	2,049	40,600 PSI	26.7	2,221	51,600 PSI

BULLET WEIGHT

180 GR. WIN PP

CASE

WINCHESTER

PRIMER

WINCHESTER SR, SMALL RIFLE

Starting Load					Maximum Loads				
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	1680	0.355"	2.110"	24.5	1,834	21,600 PSI	27.2	2,026	31,000 PSI
Accurate	4100	0.355"	2.110"	20.9	1,950	38,500 PSI	23.2	2,118	52,000 PSI
Accurate	5744	0.355"	2.110"	22.5	1,891	36,100 PSI	25.0	2,069	49,000 PSI
Accurate	No. 11FS	0.355"	2.110"	21.6	1,966	37,500 PSI	24.0	2,133	51,500 PSI
Hodgdon	CFE BLK	0.355"	2.110"	24.7	1,691	21,000 PSI	27.5C	1,889	28,100 PSI
Hodgdon	H110	0.355"	2.110"	22.0	1,894	36,700 PSI	24.0	2,079	51,100 PSI
Hodgdon	Lil'Gun	0.355"	2.110"	23.0	2,049	41,300 PSI	25.5	2,213	50,600 PSI
IMR	IMR 4227	0.355"	2.110"	22.7	1,880	42,100 PSI	24.7	2,032	51,200 PSI
Ramshot	Enforcer	0.355"	2.110"	21.0	1,957	39,100 PSI	23.3	2,126	52,700 PSI
Winchester	296	0.355"	2.110"	22.0	1,894	36,700 PSI	24.0	2,079	51,100 PSI